

Request Form Curved Belt Conveyor

Quotation item:	
-----------------	--

Customer Details	
Company:	Date:
Contact person:	Customer-No.:
Comment (Customer project, based on order, factory standard):	

Conveyor System and Quotation		
Conveyor type:	Customer request	Quantity:

Conveyed Product and Environmental Conditions			
Conveyed product:	Section load (kg/m):		
Dimensions L/B/H (mm):	Total load max. (kg):		
Weight each (kg):	Transport position:	<input type="checkbox"/>	<input type="checkbox"/> chaotic
Description conveyed product and environment (temperatures standard +10 up to +60°C, pollutions):			

Conveyor Specification			
Conveying angle:	Usable width B (mm):		
Outer radius Ra (mm):	Inner radius Ri (mm):		
Drive version:	Drive location:		
Motor orientation:	Voltage:	230/400V 50 Hz	Other:
Speed:	m/min at 50 Hz	constant	adjustable
Frequency inverter:			
Operating mode:	Reverse operation: no yes		
Cycles/min:	Transport time (sec.):	Holding time (sec.):	Conveying path/cycle (mm):
Shift operation:	Power transmission:		
Infeed tail:	Discharge tail:		
Comment:			

Request Form Curved Belt Conveyor

Quotation item:	
-----------------	--

Transport Medium						
Type:						
Lateral force available:	no	yes				
Belt:	good traction	accumulation	antistatic	FDA	cut-resistant	oil-resistant
Comment:						

Stands	
Stand selection:	Working height (mm):
Comment:	

Side Rails			
Side rail type:			
Height of side rail (mm):	Usable width (mm):		
Side rail side:	both sides	one-sided right	one-sided left
Comment:			

Documentation/Drawing		
Additional documentation (standard German or national language paper + PDF):		
Approval drawing (standard STEP):	no	yes
Comment (non-standard version, factory standard, etc.):		

Function Description and Additional Equipment

Request Form Curved Belt Conveyor

Quotation item:

Sketch

A large grid area for sketching a curved belt conveyor. The grid consists of 30 columns and 40 rows of small squares, providing a workspace for technical drawing.