

# Request Form Multiple Line Conveyor

Quotation item:

## Customer Details

Company:	Date:
Contact person:	Customer-No.:
Comment (Customer project, based on order, factory standard):	

## Conveyor System and Quotation

Conveyor type:	Customer request	Quantity:
----------------	------------------	-----------

## Conveyed Product and Environmental Conditions

Conveyed product:	Section load (kg/m):
Dimensions L/B/H (mm):	Total load max. (kg):
Weight each (kg):	Transport position: <input type="checkbox"/> <input type="checkbox"/> chaotic
Description conveyed product and environment (temperatures standard +10 up to +60°C, pollutions):	

## Conveyor Specification

Conveyor length L (mm):	Conveyor width B (mm):		
Number of lines:	Width of single line (mm):		
Distance between lines (mm):	Line distance center-to-center		
Wear strip variant:      without guide      with guide			
Drive version:	Drive location:		
Motor orientation:	Voltage:      230/400V 50 Hz      Other:		
Speed:      m/min at 50 Hz	constant      adjustable		
Frequency inverter:			
Operating mode:	Reverse operation:      no      yes		
Cycles/min:	Transport time (sec.):	Holding time (sec.):	Conveying path/cycle (mm):
Shift operation:	Power transmission:		
Comment:			

# Request Form Multiple Line Conveyor

Quotation item:

## Transport Medium

Type:				Version:	
Lateral forces:	no	yes			
	good traction	accumulation	antistatic	Suitable for contact with food	
Comment:					

## Stands

Stand selection:	Working height (mm):
Comment:	

## Side Rails

Side rail type:	Side rail strips:		
Height of side rail (mm):	Usable width (mm):		
Side rail side:	both sides	one-sided right	one-sided left
Comment:			

## Documentation/Drawing

Additional documentation (standard German or national language paper + PDF):			
Approval drawing (standard STEP):	no	yes	
Comment (non-standard version, factory standard, etc.):			

## Function Description and Additional Equipment

# Request Form Multiple Line Conveyor

Quotation item:

## Sketch

