

Request Form Transfer/Interlink System

Quotation item:

Customer Details

Company:	Date:
Contact person:	Customer-No.:
Comment (Customer project, based on order):	

Conveyed Product and General Information

Conveyed product:	Pallet dimensions (mm):
Dimensions L/B/H (mm):	Pallet replacement time (sec./pallet):
Weight each (kg):	Output (pcs./min.):
Take up:	Cycle time (sec./pallet):
Take up weight (kg):	Shift operation:
Total weight (kg):	Performance specification: no yes
Weight distribution:	Equipment specification: no yes
Comment:	

Environment

Voltage:	230/400V, 50Hz, 24 VDC, IP 54	Other:
Compressed air:	6 bar	Other:
System environment:	dry (air humidity < 60%), not abrasive	Other:
Temperature range:	+5°C to + 40°C	Other:
System location:	Germany	Other:
ESD requirements:	no yes	
Comment:		

Interfaces

Sensor system:	no	yes
Controller:	no	yes
Electr. installation:	no	yes
Pneum. installation:	no	yes
Loading:		
Unloading:		
System position:		
Comment:		

Request Form Transfer/Interlink System

Quotation item:

Sketch

A large grid area for sketching, consisting of a 30x30 grid of small squares. The grid is intended for drawing a technical sketch of the transfer/interlink system.

Sketch

A large grid area for sketching, consisting of a uniform grid of small squares. The grid is intended for drawing a technical sketch of the transfer/interlink system.